



Table of Contents

UPGRADE	3
FEATURES AND FUNCTIONAL ENHANCEMENTS.....	3
MAINTENANCE FIXES	3
BACKWARD COMPATIBILITY	3
KNOWN ISSUES	3

Upgrade

- Version 1.7.4 is **strongly recommended** for all field-installed systems. This release includes a single upgrade file that must be downloaded to the unit from a TFTP server through the upgrade screens on the HTTP or CLI interfaces.
- Reference the CME5010_5110 Upgrade Instructions V174.pdf for details.

Features and Functional Enhancements

None

Maintenance Fixes

This release addresses the following issues:

1. Changed how the hold timer decremented count. This improves traffic flow with section packing on.
2. Corrected error in IP Copy logic when MAC address bits not masked entered as other than zero.
3. Modified statistics logic to reduce encapsulation jitter while computing statistics.

Backward Compatibility

A CME5010 or CME5110 unit running V1.7.4 is verified compatible with units running V1.7.3 or older firmware.

Known Issues

Issue: When setting the egress rate with a value of a decimal to the hundredth thousands place value, the unit doesn't set to the expected egress rate.

Workaround: None at this time.

Issue: SNMP dniAdminSNMPTrapReceiverIpAddr (OID 1.3.6.1.4.1.18723.2.2.12.0) has access stated as read/write, but unable to write to.

Workaround: Value can be modified from either terminal or web interfaces.

Issue: When unit is rebooted, only SNMP trap COLD_START is fired, not WARM_START.

Workaround: None at this time.